

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 17.05.2016

Version number 10

Revision: 17.05.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: SOLOFLEX**
- **Article number: 205430**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Tile adhesive
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SCHOMBURG GmbH & Co. KG
Aquafinstr. 2-8
D-32760 Detmold
Germany

Tel: ++49 (0)5231/953-00
Fax: ++49 (0)5231/953-123
email: info@schomburg.de
web: www.schomburg.de
- **Informing department:** Product Safety Department

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS05, GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:**
Cement, portland, chemicals
- **Hazard statements**
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
- **Precautionary statements**

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Trade name: **SOLOFLEX**

(Contd. of page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Product based on cement and mineral filler.

- **Dangerous components:**

CAS: 65997-15-1	Cement, portland, chemicals	25-50%
EINECS: 266-043-4	☞ Eye Dam. 1, H318; ☞ Skin Irrit. 2, H315; STOT SE 3, H335	

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Personal protection for the First Aider.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact**
Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- **After swallowing** Drink copious amounts of water. Avert vomiting. Instantly call for doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
Product is not inflammable.
Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information** Follow the emergency-plan.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Avoid causing dust.
Avoid eye- and skin contact.
Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- **6.3 Methods and material for containment and cleaning up:**
Pick up the product mechanically, avoid dust formation.
- **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.
See Section 7 for information on safe handling

GB

(Contd. on page 3)

Trade name: **SOLOFLEX**

(Contd. of page 2)

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Prevent formation of dust.
Keep away from children.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:**
Please follow the rules of the VCI-Storage-Concept for chemicals.
- **Further information about storage conditions:** Protect from humidity and keep away from water.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:**
It must be possible to wash the skin in the working area.
Eye-wash bottle must be available.
No further data; see item 7 MSDS.
- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:**
65997-15-1 Cement, portland, chemicals (25-50%)
WEL Long-term value: 10* 4** mg/m³
*inhalable dust **respirable dust
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
The usual precautionary measures should be adhered to in handling the chemicals.
Be sure to clean skin thoroughly after work and before breaks.
Instantly remove any soiled and impregnated garments.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Use respiratory protective equipment at formation of dust.
- **Protection of hands:** Hand Protection: Nitril-rubber-latex-gloves.
- **Material of gloves**
Butyl rubber II R: Thickness \geq 0,5mm; Break through time \geq 480 min
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Powder
Colour:	Grey
Smell:	Weak, characteristic

(Contd. on page 4)

Trade name: **SOLOFLEX**

(Contd. of page 3)

- | | |
|---|--|
| · Change in condition | |
| Melting point/Melting range: | Not determined |
| Boiling point/Boiling range: | Not determined |
| · Flash point: | Not applicable |
| · Self-inflammability: | Product is not selfigniting. |
| · Danger of explosion: | Product is not explosive. |
| · Density | not determine |
| · Settled apparent density | 1,370 kg/dm ³ |
| · Solubility in / Miscibility with | |
| Water: | Fully miscible |
| · 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
 - **Acute toxicity** Based on available data, the classification criteria are not met.
 - **LD/LC50 values that are relevant for classification:**
-
- 544-17-2 Calciumformiat**
- | | | |
|------------|----------|--------------------|
| Oral | LD50 | 3050 mg/kg (rats) |
| Dermal | LD50 | >2000 mg/kg (rats) |
| Inhalative | LC50/4 h | >0.67 mg/l (rats) |
- **Primary irritant effect:**
 - **Skin corrosion/irritation**
Causes skin irritation.
 - **Serious eye damage/irritation**
Causes serious eye damage.
 - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
 - **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**
 - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
 - **Carcinogenicity** Based on available data, the classification criteria are not met.
 - **Reproductive toxicity** Based on available data, the classification criteria are not met.
 - **STOT-single exposure**
May cause respiratory irritation.
 - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
 - **Aspiration hazard** Based on available data, the classification criteria are not met.

GB

(Contd. on page 5)

Trade name: **SOLOFLEX**

(Contd. of page 4)

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**
- 544-17-2 Calciumformiat**
- LC 0 (96h) 1000 mg/l (Brachydanio rerio)
- EC50 (48h) >1000 mg/l (Daphnia magna)
- EC50 >1000 mg/l (bacterial toxicity)
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **European waste catalogue**
- 10 00 00 WASTES FROM THERMAL PROCESSES
- 10 12 00 wastes from manufacture of ceramic goods, bricks, tiles and construction products
- 10 12 03 particulates and dust
- 17 00 00 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
- 17 01 00 concrete, bricks, tiles and ceramics
- 17 01 01 concrete
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

- | | |
|--|-----------------|
| · 14.1 UN-Number | |
| · ADR | Void |
| · 14.2 UN proper shipping name | |
| · ADR | Void |
| · 14.3 Transport hazard class(es) | |
| · ADR | |
| · Class | Void |
| · 14.4 Packing group | |
| · ADR | Void |
| · 14.5 Environmental hazards: | Not applicable. |

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 17.05.2016

Version number 10

Revision: 17.05.2016

Trade name: **SOLOFLEX**

(Contd. of page 5)

- | | |
|--|--|
| • 14.6 Special precautions for user | Not applicable. |
| • 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| • Transport/Additional information: | Not dangerous according to the above specifications. |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
- **Water hazard class:**
Water hazard class 1 (Self-assessment): slightly hazardous for water.
The classification based on german instructions.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
- **Department issuing data specification sheet:** Environment protection department.
- **Contact:** Mr. Guido Herfort
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
- *** Data compared to the previous version altered.**

GB